







BUILT FOR THE BOLD

Bad Boy Mowers aren't made for everyone. Our products are designed for people who live on the cutting edge — for true originals who want equipment that works as hard as they do. We're setting our standards higher with this attitude and it is the legacy and driving force behind every mower we build. And we do it all for mowing pros and demanding homeowners just like you.

MOW WITH AN Allique

-SERIES

IN A PROFESSIONAL CLASS ALL BY ITSELF

Every Bad Boy Mower, from the very beginning, has been built from heavy gauge, all-American steel, fabricated and welded to last a lifetime. While our strength has become legendary to professionals and demanding homeowners alike, we've also led the industry with innovation after innovation, patent after patent, and up and down our mower line you'll find the perfect combination of standard features and engine options—all for an incredible pricefor–performance value.






Most Outlaw R-Series and commercial Bad Boy Mowers feature our patented EZ-Ride™ front and rear suspension system, and all offer the most comfortable, operator-adjustable seat for the smoothest, most comfortable ride around.



LEGENDARY DECK STRENGTH

Featuring a slope nose 3 gauge 1/4" fabricated deck with 1/2" leading edge and 3/8" side reinforcements, our decks withstand years of grueling day-in and dayout mowing. They're the heaviest-built decks of any commercial mower in the industry.



De Thuman Marie Common Marie Co



INDUSTRY-LEADING DECK

Featuring a slope nose 3 gauge 1/4" fabricated deck with 1/2" leading edge and 3/8" side reinforcements, boasts the heaviest-built deck of any commercial mower in the industry.







ELITE COMFORT

The cast iron I-Beam front suspension and revolutionary 3-link rear suspension combine with the industry's strongest front rail and forks to deliver the smoothest ride possible.





The state of the s














REVOLUTIONARY SUSPENSION

Our patented EZ-Ride 3-link trailing suspension is the first and only of its kind to provide a smoother ride, improve tire contact consistency and increase traction.







From the lift-up floorboard for cleaning and maintenance, to the premium high-traction rubber floor mat, you're planted firmly in control on the Rogue.

















PERFORMANCE POWER

Powered by a Vanguard 37.5 HP EFI engine and driven by dual heavy-duty 5400 Hydro-Gear® 16cc integrated transaxles. It's a perfect balance of brute power and responsive performance.







IT WILL NEVER TIRE OUT

Featuring Michelin® X® Tweel® rear tires and no-flat front tires, you'll never worry about flat tires again. It's an always ready to mow combo for the confidence you need to Mow With An Attitude.













Cammung Canal Cammung Cammung





The Rebel features Bad Boy's signature power at a price designed for homeowners. Multiple powerful engines and three heavy gauge deck sizes to give your yard a professional quality cut every time.







MORE STANDARD FEATURES

You'll get our adjustable suspension seat, no-flat tires, built-in striping kit, speed tracking, and adjustable handles at no additional cost—a feature-rich value.





The Community of the Co









Community Commun











RIDE WITH EASE

The Revolt's shorter frame and curved I-Beam rails give you a lower center of gravity for maximum maneuverability and visibility. No other stand-on mower can compare.

REVOLT FEATURING:

KAWASAKI, VANGUARD

AVAILABLE DECK SIZES: 36", 48", 54" & 61"

SLOPED NOSE 3/16"OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

CURVED I-BEAM FRONT RAILS

QUICK ACCESS PANEL FOR DRIVE AND BELT MAINTENANCE

DUAL HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

ADJUSTABLE RUBBER SUSPENSION RIDING PLATFORM

THREE-POSITION SPEED CONTROL

ERGONOMIC THIGH PAD

OPTIONS AVAILABLE: SEE PAGES 60-67













CONTROL IS IN YOUR HANDS

The one-touch hand operated cut height control makes on-the-fly adjustments easy. Quickly switch between the position speeds for smoother operation in the tightest spaces.

REVOLT SD FEATURING:

AVAILABLE DECK SIZES: 34" & 42"

3/16"OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

QUICK ACCESS PANEL FOR DRIVE AND BELT MAINTENANCE

DUAL HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

ADJUSTABLE RUBBER SUSPENSION RIDING PLATFORM

THREE-POSITION SPEED CONTROL

ERGONOMIC THIGH PAD

OPTIONS AVAILABLE: SEE PAGES 60-67













UPGRADE YOUR DRIVE

We turned power up a notch on the Maverick HD. The dual Hydro-Gear ZT-3400 Integrated High-Efficiency Drive Systems are commercial-rated for more performance and to last longer.







CONFIDENCE AND COMFORT

Our premium suspension seat, EZ-Ride® System and no-flat front tires come standard, so you mow long hours in maximum comfort and never have to worry about going flat.













RESIDENTIAL MOWERS

BUILT FOR THE MOWING PRO IN YOU

Cut from the same steel, welded by the same robots and craftsmen, and assembled side-by-side down our assembly lines, our residential mowers share the same build-quality DNA as our commercial-grade mowers. We don't stamp flimsy sheets of steel or cut corners that ultimately determine mower durability and performance. We've even taken the lead in raising the comfort quality by adapting our patented EZ-Ride™ system to several models and offering premium custom seats.






All our zero-turn mowers feature our unique Deck-Dial™ system. Simply push down on the deck pedal—adjustable and movable to your right or left—and dial in the perfect, predictable mowing height every time.



Our legendary heavy-gauge, all-steel, formed and welded decks are the toughest in the industry. Featuring Heavy-Duty Cast Maintenance-Free Spindles, Fusion™ Stay Sharp blades and reinforced welded steel plates along the edges, our decks are built to last a lifetime.







HISTORIC INNOVATIONS

The first zero-turn mower ever to feature our patented EZ-Ride® Suspension with an integrated drive system. Paired with front suspension and the Maverick glides effortlessly over uneven terrain.







REDEFINING RESIDENTIAL

Unlike any mower in its class. It's built and outfitted commercial-grade tough, with popular power options and superior comfort that delivers the best value for demanding homeowners.

















MOWING IS A BREEZE

Formed from tough 7-gauge steel with reinforced edges, the unique baffling system maximizes airflow for greater grass lift and a cleaner cut. Features easily adjustable Deck-Dial height adjustment.







The ZT Elite has multiple engine options to choose from. These powerful and reliable engines are up to the task to perform year after year, season after season.

















NEVER CUTTING CORNERS

The ZT Avenger is our biggest value for the residential homeowner. The same build quality and durability of every Bad Boy before it, with all the power and probably wouldn't.



LEGENDARY DECK STRENGTH

We're known for building the sturdiest decks in the industry. Step on the deck of the ZT Avenger and compare it to other mowers in this price range. You'll feel the difference in strength in no time.





























BADEBOY







PACKED WITH VALUE

The Rambler may be our smallest zero-turn mower, but it's packed with everything every other Bad Boy is known for—durability. Solid steel, all-welded construction from frame to deck ensures years of rock-solid performance for demanding homeowners.





GET DIALED IN

Lift the deck with the foot pedal and dial up the perfect height for the turf you're mowing. The Deck Dial, electric PTO, throttle and engine start are all conveniently located in one place and right at your fingertips.

RAMBLER FEATURING:

BRIGGS

AVAILABLE DECK SIZE: 42"

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

DUAL HYDRO-GEAR ZT 2200 SERIES INTEGRATED DRIVE SYSTEMS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

COMFORT SEAT

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ELECTRIC PTO

OPTIONS AVAILABLE: SEE PAGES 60-67

PUSH MOWER









PUSH MOWERS FEATURING:

KAWASAKI

AVAILABLE DECK SIZES: 21" & 25"

PATENTED, PROPRIETARY TWO-SPEED HEAVY-DUTY TRANSMISSION

BLADE SPINDLE WITH FORGED SPINDLE SHAFT

PROFESSIONAL-CLASS ENGINE

DENSE RUBBER WHEELS HEAVY-DUTY, ALL-STEEL 14-GAUGE DECK WITH REINFORCED EDGES





COMPACT AND SUB COMPACT TRACTORS



BADEBBOY —IMPLEMENTS—

BRED FROM THE VERY BEST

Bad Boy's complete line-up of tough Farm Implements and Rotary Cutters are built right in the heart of America. Our products are designed, manufactured and marketed from the heart of the Ozark Mountains in Batesville, Arkansas. We're known for delivering the most innovative, powerful, strongest and longest-lasting equipment for landscape and lawncare professionals, and our line of rotary cutters and implements continue that tradition.

PRODUCTS:

ROTARY CUTTERS

BOX BLADES

LAND LEVELER/GRADERS

ROTARY TILLERS

DISC HARROWS

HAY FORKS

PALLET FORKS

3PT TRAILER MOVER

GRADER BLADES

LANDSCAPE RAKES

BRUSH GRAPPLES

TRACTOR IMPLEMENTS




















ELECTRIC HAND TOOLS





OPTIONS & ACCESSORIES





BELT TENSION GUIDE

Properly calibrated for measuring perfect belt operation. A must have tool for the doit-yourself mower maintenance owners.

STEERING ARM PADS

Provide additional support for arms, especially on models that do not have arm rests. Great for extended moving days.



KEEP YOUR BAD BOY FACTORY FRESH WITH AUTHENTIC MANUFACTURER'S REPLACEMENT PARTS AND FLUIDS.

These are the same belts, fluids and blades your Bad Boy Mower left our factory with. Continuing to service your mower with these high-performance replacements will always keep your mower running and cutting like new—season after season!



CUSTOM RIMS

Custom Rear Rims are machined from high-grade aluminum and available in several sizes.



MICHELIN® TWEELS FRONT TIRES

Revolutionary front tire tread technology now available in the front for R-Series Mowers.



NO FLAT FRONT TIRES

Solid form front tires continue to perform even if punctured. Standard on R-Series Mowers with sizes to fit all models except ZT Avenger.





MICHELIN® TWEELS REAR TIRES

Never worry about flat tires again with this revolutionary rear tire tread technology. Offered ONLY on R-Series Mowers as a factory upgrade.



Premium synthetic blend Engine Oil is your Bad Boy Mower to ensure longer engine life.



REAPER® TURF TIRES

A Bad Boy Exclusive! Feature softer sidewalls for a smoother ride and wrap-over grip edge for greater traction on uneven terrain. Excludes MZ Series.

twice as long as ordinary mower blades!

OPTIONS & ACCESSORIES



With the ADVANCED CHUTE SYSTEM'S variable stage all-steel shield, you can effectively and accurately control the discharge from your zero-turn mower. Closing the Advanced Chute System completely prevents discharge into flower beds, driveways and swimming pools. In high-density areas where flying debris can damage windows, vehicles or even people, keeping the advanced chute at a semi-closed position forces debris down immediately, preventing straight line discharge at speeds of over 200 mph! Built for commercial lawn and garden professionals and zero-turn mower homeowners alike. Plus, the Advanced Chute System also turns your mower into a powerful mulching machine, perfect for fall leaf cleanup!





REAR BASKETS Are the perfect companion for traveling with extra gear, tools or yard grooming accessories. Excludes Renegades, Revolt, Revolt SD and Raider models.



ROPS STRING TRIMMER MOUNT

Securely take your string trimmer anywhere you mow.

mowers.

ROPS MOUNTED HARD TOP COVER

Now you have it made in your own shade. Tough polycarbonate construction mounts securely to ROPs equipped mowers. We also offer a soft top canopy for our



R-SERIES TANKS LED LIGHT KIT

Complete light kit for R-Series Class mowers. Fully assembled on metal plates with everything for installation.



ROPS LED LIGHT BAR

12000 Lumen, high-intensity, low amperage LED Light Bar in durable cast aluminum with stainless steel mounting hardware, wiring harness and lighted rocker switch.

LED LIGHT KITS

LED lights for front mounting on every Bad Boy Mower model. Kits come complete with everything needed.





FRONT CASTER BRAKES

Exclusive and unique braking system quickly locks front casters for straight runs when striping.



ASSIST HANDLE

Handy assist for mounting and dismounting mower. Attaches to front frame and fits all models.

SEAT ISOLATION KIT

Suspension plate attaches
Between seat and mower for
reducing vibration and fatigue.
Not available for MZ line.



ADJUSTABLE STEERING HANDLES

Bolt on your steering levers for completely adjustable operator fit. Available for ZT and MZ mower models.

ROLL-OVER PROTECTION SYSTEM (ROPS)

Optional for ZT and MZ Class mowers, and recommended for mowing on sloping terrain. Hitch pins allow ROPs to fold over for compact storage and includes required seat belt option.



MOWER COVER

One-size covers all, fits both ROPs and non-ROPs equipped Bad Boys.





OPTIONS & ACCESSORIES





REAR DECK MOUNT STRIPING KIT

Mounts to back edge of the deck and adjusts with deck height for desired effect. Standard on R-Series and Maverick HD models.

FRONT SPRAYER Mounts in front hitch on R-Series mowers, the versatile power sprayer is handy when seated or if you need to get to hard-to-reach greas off the mower.

REAR FRAME STRIPING KIT


Lay down baseball field precision stripes with our kits featuring heavy-duty, pliable rubber flaps.

Versions to fit R-Series and ZT Class mowers.

MULCHING KIT

For the demanding non-bagging professional, closed channel bolts to the underside of the deck, blocking discharge. Wavy mulching blades are included with the kit.








FRONT MOUNT TOOL BOX RACK

High-impact, weathersealed tool box mounts in front receiver hitch and provides convenient, easy-toget-to storage of tools.

ROPS MOUNTED HAZARD LIGHT

Warning light for high traffic and busy areas around parks, highways and commercial businesses.







ROLLER

Fill with water for proper working weight. 36" wide.



Blades punch holes in turf to promote better turf. 40" wide.



ease with our variable output spreader.



SPECIFICATIONS

RENEGADE	DIESEL ENGINE OPTIONS	
Serkins	61" 1100cc, 24.7hp	
DIMENSIONS		
Cutting Widths	61"/61"	
Weight	61″/1862 lbs.	
Overall Height/Length	51"/ 91 "	
Chute Up/Down Width	<mark>61"/</mark> 63.5"/75.5"	
FEATURES		
Suspension	Patented 3-Link Rear Trailing Arm Suspension with patented Front Independent suspension	
Transmission	Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors	
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel	
Cutting Height	2″-6″	
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift	
Rear Tires/Front Tires	26x12-12 Reaper® /15x6-6 Smooth No Flat Front	
Fuel	13 Gallons, Diesel	
Ground Speed (forward)	Up to 13 mph	

RENEGADE	ENGINE OPTIONS	
KOHLER.	61"/72" 999cc, 38.5hp ECH 980-EFI	
DIMENSIONS		
Cutting Widths	61"/61"; 72" <mark>/</mark> 72"	
Weight	61"/1628 lbs.; 72"/1693 lbs.	
Overall Height/Length	51″/ 91″	
Chute Up/Down Width	61"/63.5"/75.5"; 72"/74.5"/86.5"	
FEATURES		
Suspension	Patented 3-Link Rear Trailing Arm Suspension with patented Front Independent suspension	
Transmission	Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors	
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel	
Cutting Height	2″-6″	
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift	
Rear Tires/Front Tires	26x12-12 Reaper® /15x6-6 Smooth No Flat Front	
Fuel	13 Gallons, Unleaded Gasoline	
Ground Speed (forward)	Up to 13 mph	

ROGUE	NGINE OPTIONS		
■ Kawasaki	54"/61"/72" 999cc, 35hp FX1000		
■ ≪ Kawasaki	61"/72" 999cc, 38.5hp FX1000 EFI		
KOHLER.	61"/72" 999cc, 38.5hp ECV980 EFI		
MANGUARO	61"/72" 993cc, 37hp 37 EFI		
DIMENSIONS			
Cutting Widths	<mark>54"/</mark> 54"; <mark>61"/</mark> 61"; 72"/ 72"		
Weight	54"/1485 lbs.; 61"/1538 lbs.; 72"/1595 lbs.		
Overall Height/Length	53"/ 92"		
Chute Up/Down Width	54"/56.5"/68.5"; 61"/63.5"/75.5"; 72"/74.5"/86.5"		
FEATURES			
Suspension	Patented 3-Link Rear Trailing Arm Suspension with patented Front Independent suspension		
Transmission	Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors		
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel		
Cutting Height	2″-6″		
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift		
Rear Tires/Front Tires	26x12-12 Reaper® /15x6-6 Smooth No Flat Front		
Fuel	13 Gallons, Unleaded Gasoline		
Ground Speed (forward)	Up to 13 mph		

REBEL X	ENGINE OPTIONS
	61"/72" 993cc, 37hp 37 EFI
DIMENSIONS	
Cutting Widths	61"/61"; 72"/72"
Weight	61"/1494 lbs.; 72"/1531 lbs.
Overall Height/Length	50″/ 92″
Chute Up/Down Width	61"/63.5"/75.5"; 72"/74.5"/86.5"
FEATURES	
Transmission	5400 Hydro-Gear® 16cc Integrated Transaxle
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel
Cutting Height	1″-5″ with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift
Rear Tires/Front Tires	24x12-12 Michelin Tweel® /13x6.5-6 Smooth No Flat Front
Fuel	13 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 12 mph

REBEL	NGINE OPTIONS
■ Kawasaki	54"/61" 852cc, 27hp FX850
■ Kawasaki	61"/72" 999cc, 35hp FX1000
■ ≪ Kawasaki	72" 822cc, 34hp EVO820 EFI
■ Kawasaki	54"/61" 822cc, 31hp EVO781 EFI
DIMENSIONS	
Cutting Widths	<mark>54"/</mark> 54"; 61"/61"; 72"/72"
Weight	54"/1257 lbs; 61"/1382 lbs.; 72"/1419 lbs.
Overall Height/Length	50"/ 92"
Chute Up/Down Width	<mark>54"/</mark> 56.5"/68.5"; <mark>61"/</mark> 63.5"/75.5"; <mark>72"/</mark> 74.5"/86.5"
FEATURES	
Transmission	4400 Hydro-Gear® 16cc Integrated Transaxle
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel
Cutting Height	1″-5″ with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift
Rear Tires/Front Tires	24x12-12 Reaper® /13x6.5-6 Smooth No Flat Front
Fuel	13 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 12 mph

REVOLTSD STAND-ON	ENGINE OPTIONS
■ ≪ Kawasaki	34"/42" 603cc, 18.5hp FS600
DIMENSIONS	
Cutting Widths	34"/34"; 42"/42"
Weight	34"0/722 lbs; 42"/723 lbs.
Overall Height/Length	48″/63″
Chute Up/Down Width	34"/38.5"/50.5"; 42"/50.5"/62.5"
FEATURES	
Transmission	34"/42"0 2800 Hydro-Gear® 10cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5"-4.5" with Deck Height Control System
Lift and Height Adjust	Manual Lift
Rear Tires/Front Tires	34"/42" 21x7-10 Reaper® /13x6.5-6 Smooth
Fuel	5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 9 mph

REVOLT STAND-ON	ENGINE OPTIONS	
■ 	54"/61" 852cc, 27hp FX850	
■ 	48" 726cc, 23.5hp FX730	
■ Kawasaki	36" 726cc, 225hp FX691	
■ K Kawasaki	54"/61" 822cc, 31hp EVO781 EFI	
	54"/61" 810cc, 28hp 28 EFI	
DIMENSIONS		
Cutting Widths	36"/36"; 48"/48"; 54"/54"; 61"/61"	
Weight	36"/805 lbs; 48"/930 lbs.; 54"/980 lbs; 61"/1040 lbs.	
Overall Height/Length	48″/63″	
Chute Up/Down Width	36"/38.5"/50.5"; 48"/50.5"/62.5"	
	54"/56.5"/68.5"; 61"/63.5"/75.5"	
FEATURES		
Transmission	36" 3100 Hydro-Gear® 10cc Integrated Transaxle	
	48"/54"/61" 3400 Hydro-Gear® 12cc Integrated Transaxle	
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel	
Cutting Height	2″-5″ with Deck Height Control System	
Lift and Height Adjust	Manual Lift	
Rear Tires/Front Tires	36" 21x7-10 Reaper® /13x6.5-6 Smooth	
	48"/54" 23x9-12 Reaper® /13x6.5-6 Smooth	
	61" 23x11-12 Reaper® /13x6.5-6 Smooth	
Fuel	8 Gallons, Unleaded Gasoline (36" model has 5 Gallon tank)	
Ground Speed (forward)	Up to 9 mph	

SPECIFICATIONS

MAVERICK HD	ENGINE OPTIONS	
■ K awasaki	42"/48" 726cc, 22hp FX691	
■ Kawasaki	54"/60" 726cc, 23.5hp FX730	
KOHLER.	54"/60" 747cc, 26.5hp ECV749	
WANGUARD	54"/60" 810cc, 28hp 28 EFI	
DIMENSIONS		
Cutting Widths	42"/42"; 48"/48"; 54"/54"; 60"/60"	
Weight	42"/1062 lbs.; 48"/1073 lbs.; 54"/1110 lbs.; 60"/1137 lbs.	
Overall Height/Length	49"/80"	
Chute Up/Down Width	42"/47"/56"; 48"/54"/61"; 54"/58"/67"; 60"/64"/73"	
FEATURES		
E-Z Ride Suspension®	Patented compression rear suspension with Independent front suspension rails	
Transmission	3400 Hydro-Gear® 12cc Integrated Transaxle	
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel	
Cutting Height	1.5″–4.5″ with Deck Height Control System	
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift	
Rear Tires/Front Tires	42"/48"/23x9-12 Reaper® /13x6.5-6 Smooth No Flat Front 54"/60"/23x11-12 Reaper® /13x6.5-6 Smooth No Flat Front	
Fuel	13 Gallons, Unleaded Gasoline	
Ground Speed (forward)	Up to 9 mph	

RAIDER WALK-BEHIND	ENGINE OPTIONS
■ Kawasaki	36"/48"/54" 603cc, 18.5hp FS600
DIMENSIONS	
Cutting Widths	36"/36"; 48"/48"; 54"/54"
Weight	36"/652 lbs; 48"/746 lbs; 54"/791 lbs.
Overall Height/Length	48"/63"
Chute Up/Down Width	36"/38.5"/50.5"; 48"/50.5"/62.5"; 54"/56.5"/68.5"
FEATURES	
Transmission	3100 Hydro-Gear®12cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	36″/48″/54″ 1-5″
Lift and Height Adjust	Manual Lift
Rear Tires/Front Tires	36" 21x7-10 Turf /11x6-5 Smooth 48"/54" 21x8.5-10 Turf /11x6-5 Smooth
Fuel	5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 6 mph

MAVERICK	ENGINE OPTIONS
BRIGGS & STRATTON	54"/60" 810cc, 27hp CX127
■ Kawasaki	48"/54"/60" 726cc, 24hp FS730
KOHLER.	48"/54"/60" 747cc, 25hp Confident ZT740
DIMENSIONS	
Cutting Widths	48"/48"; 54"/54"; 60"/60"
Weight	48"/957 lbs; 54"/1005 lbs.; 60"/1031 lbs.
Overall Height/Length	47"/80"
Chute Up/Down Width	<mark>48"/</mark> 54"/61"; <mark>54"/</mark> 58"/67"; <mark>60"</mark> /64"/73"
FEATURES	
E-Z Ride Suspension®	Patented compression rear suspension with Independent front suspension rails
Transmission	3200 Hydro-Gear® 10cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5"-4.5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift
Rear Tires/Front Tires	48"/23x9-12 Reaper® / 13x6.5-6 Smooth 54"/60"/23x11-12 Reaper® / 13x6.5-6 Smooth
Fuel	6.5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 9 mph



	Kir Company
ZT ELITE	ENGINE OPTIONS
BRIGGS & STRATTON	54"/60" 810cc, 27hp CX127
KOHLER.	48"/54"/60" 747cc, 26hp KT745
■ Kawasaki	48"/54"/60" 726cc, 24hp FR730
DIMENSIONS	
Cutting Widths	48"/48"; 54"/54"; 60"/60"
Weight	48"/812 lbs; 54"/839 lbs.; 60"/865 lbs.
Overall Height/Length	46"/ 74 1/2"
Chute Up/Down Width	<mark>48"/54"/61"; 54"/</mark> 58"/67"; 60"/64"/73"
FEATURES	
E-Z Ride Suspension®	Patented Independent front suspension rails
Transmission	3100 Hydro-Gear® 10cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5″–4.5″ with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift
Rear Tires/Front Tires	48"/22x10-10 Reaper® / 13x6.5-6 Smooth 54"/60"/22x11-10 Reaper® / 13x6.5-6 Smooth
Fuel	6.5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 7 mph

ZT AVENGER	ENGINE OPTIONS	
KOHLER.	54"/60" 747cc, 26hp KT745	
■ ⊀ Kawasaki	54"/60" 726cc, 23hp FR691	
DIMENSIONS		
Cutting Widths	<mark>54″/</mark> 54″; 6 0″/60″	
Weight	54"/746 lbs.; 60"/763 lbs.	
Overall Height/Length	46″/ 74 1/2″	
Chute Up/Down Width	54"/58"/67"; 60"/64"/73"	
FEATURES		
Transmission	2800 Hydro-Gear® 10cc Integrated Transaxle	
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel	
Cutting Height	1.5"-4.5" with Deck Height Control System	
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift	
Rear Tires/Front Tires	20x12-10 Turf / 12x6-6 Smooth	
Fuel	6.5 Gallons, Unleaded Gasoline	
Ground Speed (forward)	Up to 7 mph	

FINANCE YOUR MOWER

CHOOSE WHAT'S RIGHT FOR YOU.

We're here to help you get into the driver's seat. We've partnered with some of the industry's most respectable financial institutions to bring you the best money saving options.





SPECIFICATIONS

MZ MAGNUM	ENGINE OPTIONS
■ K awasaki	48"/ 54" 726cc, 21.5hp FR65IV
KOHLER.	54" 747cc, 26hp KT745
DIMENSIONS	
Cutting Widths	48"/48"; 54"/54"
Weight	48"/659 lbs.; 54"/687 lbs.
Overall Height/Length	42"/ 76"
Chute Up/Down Width	48"/54"/61"; 54"/58"/67"
FEATURES	
Transmission	Dual Hydro-Gear® ZT 2200 Drive Systems
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5"-4.5" Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift
Rear Tires/Front Tires	18x9.5-8 Turf /11x6-5 Smooth
Fuel	5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 6 mph

847 D 884DI FD	ENGINE OPTIONS
MZ RAMBLER	ENGINE OPTIONS
BRIGGS & STRATTON	540cc, 19hp EX1900
DIMENSIONS	
Cutting Widths	42"/42"
Weight	42" /632 lbs
Overall Height/Length	42"/ 76"
Chute Up/Down Width	47″/56″
FEATURES	
Transmission	Dual Hydro-Gear® ZT 2200 Drive Systems
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5"-4.5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual lift with Dial-Style height adjustment. Optional electric lift
Rear Tires/Front Tires	18x8.5-8 Turf /11x4-5 Smooth
Fuel	5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 6 mph









MOW WITH AN All titude

